

RHEUMATOLOGY ENROLLMENT FORM - "SPECIALTY"

PATIENT INFORMATION

Last Name _____ First Name _____
 Social Security # _____ Date of Birth _____
 Address: _____
 Sex M F Wgt: _____ Ht: _____ Phone: _____
 Allergies: _____ Cell: _____

TREATMENT ARRANGEMENTS

Start Date: _____
 Ship Meds: Home Doctor's Office
 Teaching by: Doctor's Office
 Other: _____

INSURANCE INFORMATION

Insurance: Medicare Medicaid Commercial: _____
 ID _____ BIN _____ PCN _____ GROUP _____

Diagnosis: Rheumatoid Arthritis Ankylosing Spondylitis Osteoporosis Psoriatic Arthritis Lupus Gout Spondyloarthropathy
 Uveitis Date of Diagnosis: _____
Prior Treatment: Humira Enbrel Stelara Others: _____ **TB Test** Positive Negative

PRESCRIPTION INFORMATION

MEDICATION	STRENGTH	DOSAGE FORM	DIRECTIONS	QUANTITY	REFILLS
<input type="checkbox"/> Actemra	<input type="checkbox"/> 162mg <input type="checkbox"/> _____mg	INJECTION	<input type="checkbox"/> Less than 100kg weight: Inject 162mg subq every other week, followed by an increase to every week based on clinical response. <input type="checkbox"/> Above 100kg weight: Inject 162mg subq every week. <input type="checkbox"/> Other: _____		
<input type="checkbox"/> Cimzia	<input type="checkbox"/> 200mg/1ml Prefilled Syringe <input type="checkbox"/> 200mg Vial		<input type="checkbox"/> Induction Dose: Inject 400mg subcutaneously on day 1, at week 2, and at week 4. <input type="checkbox"/> Maint. Dose: Inject 200mg subcutaneously every other week. <input type="checkbox"/> Maint. Dose: Inject 400mg subcutaneously every 4 weeks.		
<input type="checkbox"/> Cosentyx	<input type="checkbox"/> 300mg <input type="checkbox"/> 150mg		<input type="checkbox"/> Initial Dose: Inject 300mg subq at weeks 0,1,2,3, and 4 weeks. Each 300mg dose is given as 2 subq inj of 150mg. <input type="checkbox"/> Maint Dose: Inject 300mg subq once 4 weeks. Each 300mg dose is given as 2 subq inj of 150mg.		
<input type="checkbox"/> Enbrel	<input type="checkbox"/> SureClick® Pen <input type="checkbox"/> Mini™ with Auto Touch <input type="checkbox"/> Prefilled Syringe <input type="checkbox"/> 25mg <input type="checkbox"/> 50mg <input type="checkbox"/> Vials 25mg		<input type="checkbox"/> Inject 50mg SQ every week <input type="checkbox"/> Inject 25mg SQ TWICE a week (72-96 hours apart). <input type="checkbox"/> Other: _____		
<input type="checkbox"/> Humira	<input type="checkbox"/> Uveitis Starter Kit <input type="checkbox"/> 40mg Pen <input type="checkbox"/> 40mg Pre-Filled Syringe <input type="checkbox"/> 80mg Pen		<input type="checkbox"/> Uveitis Initial Dose: Inject 80mg Subq on day 1, 40mg on day 8 and 40mg day 22 then maintenance. <input type="checkbox"/> Maintenance Dose: Inject 40mg Subq every other week. <input type="checkbox"/> Maintenance Dose: Inject 40mg Subq weekly.		
<input type="checkbox"/> Humira CF (Citrate-free)	<input type="checkbox"/> Uveitis Starter Kit <input type="checkbox"/> 40mg Pen <input type="checkbox"/> 40mg Pre-Filled Syringe <input type="checkbox"/> 80mg Pen		<input type="checkbox"/> Uveitis Initial Dose: Inject 80mg Subq on day 1, 40mg on day 8 and 40mg day 22 then maintenance. <input type="checkbox"/> Maintenance Dose: Inject 40mg Subq every other week. <input type="checkbox"/> Maintenance Dose: Inject 40mg Subq weekly.		
<input type="checkbox"/> Kevzara	<input type="checkbox"/> 200mg <input type="checkbox"/> 150mg		<input type="checkbox"/> Inject 200mg subcutaneously once every two weeks. <input type="checkbox"/> Other: _____		
<input type="checkbox"/> Otrexup	<input type="checkbox"/> _____mg/ml		<input type="checkbox"/> Inject _____mg Subcutaneously Once a week.		
<input type="checkbox"/> Rasuvo	<input type="checkbox"/> _____mg/ml		<input type="checkbox"/> Inject _____mg Subcutaneously Once a week.		
<input type="checkbox"/> Stelara	<input type="checkbox"/> 45mg Prefilled Syringe <input type="checkbox"/> 90mg Prefilled Syringe		<input type="checkbox"/> Inject 45mg SQ at weeks 0, 4 & then every 12 weeks. <input type="checkbox"/> Inject 90mg SQ at weeks 0, 4 & then every 12 weeks.		
<input type="checkbox"/> Simponi	<input type="checkbox"/> 50mg/0.5ml Prefilled SmartJect Autoinjector <input type="checkbox"/> 50mg/0.5ml Prefilled Syringe		<input type="checkbox"/> Inject 50mg (0.5ml) subcutaneously once a month. <input type="checkbox"/> Other: _____		
<input type="checkbox"/> Forteo	<input type="checkbox"/> 600ug/2.4 ml Delivery Device		<input type="checkbox"/> Inject 20ug (0.08 ml) Subcutaneously Once daily.		
<input type="checkbox"/> Prolia	<input type="checkbox"/> 60mg/ml		<input type="checkbox"/> Inject 60mg/ml Subcutaneously Once every 6 months. <input type="checkbox"/> Other: _____		
<input type="checkbox"/> Tymlos	<input type="checkbox"/> 3120mcg/1.56ml		<input type="checkbox"/> Inject 80mcg Subq once daily.		
<input type="checkbox"/> Taltz	<input type="checkbox"/> 80mg/ml Autoinjector <input type="checkbox"/> 80mg/ml Prefilled Syringe		<input type="checkbox"/> Inject 160mg Subcutaneously (two 80mg injections) at week 0, followed by 80mg every 4 weeks. <input type="checkbox"/> Other: _____		
<input type="checkbox"/> Otezla	<input type="checkbox"/> Starter Pack <input type="checkbox"/> 30mg Tablet	ORAL	<input type="checkbox"/> Titrate: Take 1 tablet on day 1 then twice daily as directed OR date provided _____. <input type="checkbox"/> Maintenance: Take 1 tablet by mouth twice daily. <input type="checkbox"/> Bridge RX: Take 1 tablet by mouth twice daily; disp. by OSP.		
<input type="checkbox"/> Olumiant	<input type="checkbox"/> 2mg		<input type="checkbox"/> Take 2mg PO Once daily.		
<input type="checkbox"/> Xeljanz	<input type="checkbox"/> 5mg		<input type="checkbox"/> Take 5mg PO Twice a day.		
<input type="checkbox"/> Xeljanz XR	<input type="checkbox"/> 11mg		<input type="checkbox"/> Take 11mg PO Once daily.		

Physician Signature: _____ DAW (Dispense as Written) Date: _____
 Physician Name: _____ Phone: _____ Fax: _____ Office Contact: _____
 Physician Address: _____ NPI: _____ DEA: _____

IMPORTANT NOTICE: This message may contain privileged and confidential information and is intended only for the individual named. If you are not the named addressee, you should not disseminate, distribute or copy this fax. Please notify the sender immediately if you have received this document by mistake. Then destroy this document. Please direct all verification or notification to the above mentioned physician's office.
 X By Signing this prescription & using Southside's services, you are authorizing Southside to contact insurance companies for prior authorizations on behalf of your practice.

FAXTO (855) - 822 - 7838



Specialty Pharmacy | IV Therapy | Home Health | Medical Equipment | Physician's Billing
 7700 Main St., Houston, TX 77030 | P: 855-822-7828 | www.ssr.com
 "One SOURCE for ALL your Medical NEEDS"